

Kyocera Corporation (President: Shiro Sakushima; "Kyocera") today announced that it is commercializing a new multilayer ceramic core substrate for advanced semiconductor packages, ...

Built from Kyocera's proprietary Fine Ceramic materials, the new core substrate is engineered for high-density wiring and exceptional rigidity.

By selecting the appropriate ceramic powder composition and optimizing the spraying parameters, manufacturers can achieve coatings with tailored properties to meet the requirements of various ...

This report represents the combined efforts of many people in 25 organizations who participated in the ceramic powders interlaboratory comparison project. It also represents a landmark for international ...

An innovative method involving the production of core-shell structured ceramic powders for application in additive manufacturing was employed. Specifically, a SiC preceramic, PSE, was ...

This study employs a bimodal powder system composed of nanoscale agglomerated spherical particles and micrometer-scale irregular particles to fabricate yttria (Y_2O_3) ceramic cores ...

In powder form, the core-shell particles are in a substantially dry powder form having a moisture content of less than 2% by weight. In pellet form, shells of adjacent core-shell particles...

To experimentally determine how this process depends on particle surface composition, particle atomic layer deposition (ALD) was used to deposit a thin film of amorphous aluminum oxide (Al_2O_3) onto ...

For the investigation, the novel core-shell particles were used, which consist of a core made of standard alumina powders (Al_2O_3), and a shell obtained by the formation of a thin outer ...

Herein, ceramic cores were prepared using traditional hot injection and vat photopolymerization 3D printing techniques using fused silica, nano-ZrO₂, and Al₂O₃ powders as starting materials.

Web: <https://www.tlaetsoglobal.co.za>